### In the Claims:

1.(currently amended) A composition comprising:

- (a) at least one organic acid;
- (b) optionally, at least one anionic surfactant;
- (c) at least one polymer capable of forming a complex with (a) at least one of organic acid wherein the at least one polymer is selected from the group
- **(1)** polymer having the formula

$$\begin{array}{c|c} & & & \\ \hline \\ CH_2 - CH \\ \hline \\ CH_2 - CH \\ \hline \\ CH_2 - C \\ \hline \\ CH_2 - C \\ \hline \\ C = O)_y \\ \hline \\ Z - R_2 - N(R_3)_2 \end{array}$$

in which n represents from 20 to 99 and preferably from 40 to 90 mol %, m represents from 1 to 80 and preferably from 5 to 40 mol %; p represents to a to 50 and 6. and 6. 0 to 50 mol, (n+m+p=100); R<sub>1</sub> represents H or CH<sub>3</sub>; y represents 0 or 1; Z is selected from O or NH; R<sub>2</sub> represents C<sub>x</sub>H<sub>2x</sub> where x is 2 to 18; each of R<sub>3</sub> independently represents hydrogen or C<sub>1</sub> to C<sub>4</sub> alkyl; and M is a vinyl or vinylidene monomer copolymerisable with vinyl pyrrolidone other than the monomer identified in []<sub>m</sub>,

e e pie de

- **(2)** vinylpyrrolidone/vinyl acetate copolymer,
- (3) vinylpyrrolidone/vinyl caprolactam/ammonium derivative terpolymer, where the ammonium derivative monomer has 6 to 12 carbon atoms and is selected from dialkylamino alkyl methacrylamides, dialkylamino alkyl methacrylate, and dialkylamino alkyl acrylate,

- poly (vinyl pyrrolidone); **(4)**
- (5) vinyl pyrrolidone/vinyl caprolactam copolymer
- **(6)** vinyl pyrrolidone/acrylic acid (and its esters) or methacrylic acid (and its esters) copolymer; and
- a copolymer of Monomer A and Monomer B wherein Monomer A is of the formula R<sup>1</sup>—CH=CH—R<sup>2</sup> and wherein Monomer B is of the formula  $R^3$ — $C(R^1)$ = $C(R^2)$ — $R^4$ ,

a Unit on uster havi

gar activ, at least o

orbinolly, at least of

or, one or more fore

THE BUILD DISTRICT

arrand

wherein R<sup>1</sup> and R<sup>2</sup> are independently selected from hydrogen; hydroxy; halogen; carboxy; sulfo; phenyl; phenoxy; C<sub>1-6</sub> alkyl, C<sub>1-6</sub> alkoxy, C<sub>1-6</sub> aminoalkyl, C<sub>1-6</sub> haloalkyl wherein the halogen is selected from chlorine, bromine, iodine, and the halogen haloalkyl wherein the halogen is selected from chlorine, bromine, iodine, and the halogen haloalkyl wherein the halogen is selected from chlorine, bromine, iodine, and the halogen haloalkyl wherein the halogen is selected from chlorine, bromine, iodine, and the halogen haloalkyl wherein the halogen is selected from chlorine, bromine, iodine, and the halogen haloalkyl wherein the halogen is selected from chlorine, bromine, iodine, and the halogen haloalkyl wherein the halogen is selected from chlorine, bromine, iodine, and the halogen haloalkyl wherein haloalkyl wh fluorine; C<sub>1-6</sub> alkylphenyl; amino and C<sub>1-6</sub> alkylamino, R<sup>3</sup> is an acidic group or a transfer alkylphenyl; derivative thereof and R<sup>4</sup> is a group selected from any of the definitions given the properties of the definitions given the selected from any of the definition given the selected from the select hereinbefore for R<sup>1</sup>, R<sup>2</sup> or R<sup>3</sup>, with the proviso that neither monomer A nor monomer B is an ester having a quaternary ammonium compound,

- (d) optionally, at least one organic solvent;
- (e) optionally, at least one propellant;
- (f) water; and optionally, one or more further conventional constituents such as: pH buffering agents, perfumes, perfume carriers, colorants, hydrotropes, viscosity modifying agents, further germicides, fungicides, anti-oxidants, and anti-corrosion agents.
- 2.(original) The composition according to claim 1 wherein the at least one organic acid is selected from a compound having the formula:

#### R--COOH

wherein R is hydrogen, lower alkyl; substituted lower alkyl; hydroxy lower alkyl; carboxy lower alkyl; carboxy, hydroxy lower alkyl; carboxy, halo lower alkyl; carboxy, dihydroxy lower alkyl; dicarboxy, hydroxy lower alkyl; carboxy lower alkenyl; dicarboxy lower alkenyl; phenyl; substituted phenyl and mixtures thereof, wherein substituted lower alkyl is substituted by one or more groups consisting of halogen, hydroxyl, amino, thiol, nitro, and cyano.

- 3.(original) The composition according to claim 2 wherein the organic acid is selected from the group citric, malic, succinic, lactic, glycolic, fumaric, tartaric, and formic acids and mixtures thereof.
- 4.( cancelled)

and the training of the traini

- 5.(currently amended) The composition according to <u>claim 1</u> <u>claim 4</u> wherein the <u>polymer is (1).</u>
- 6.(original) The composition according to claim 5 wherein p is 0.

and the state of t

- wherein y is 1.
  - 8.(currently amended) The composition according to claim 5 elaims 5 to 7 wherein x is needed) the compose 2.

and the property of the stage of

9.(currently amended) The composition according to <u>claim 5</u> claims 5 to 8 wherein each graded) and according to  $\frac{1}{2}$  of  $R_3$  is methyl.

- 10.(currently amended) The composition according to <u>claim 1</u> <u>claim 4</u> wherein the polymer is (2).
- 11.(currently amended) The composition according to <u>claim 1</u> <u>elaim 4</u> wherein the polymer is (3).
- 12.(original) The composition according to claim 11 wherein the ammonium derivative is dialkylamino alkyl methacrylate.

13.(currently amended) The composition according to <u>claim 1</u> <u>claim 4</u> wherein the polymer is (4).

14.(currently amended) The composition according to <u>claim 1</u> <u>claim 4</u> wherein the polymer is (5).

15.(currently amended) The composition according to <u>claim 1</u> <u>claim 4</u> wherein the polymer is (6).

16.(original) The composition according to claim 15 wherein the polymer is a vinyl pyrrolidone/acrylic acid copolymer.

polymer is (7).

18.(original) The composition according to claim 17 wherein Monomer A is selected from  $C_{1-6}$  alkyl vinyl ethers and  $C_{1-6}$  alkoxy  $C_{1-6}$  alkyl vinyl ethers.

19.(original) The composition according to claim 18 wherein Monomer A is  $C_{1-6}$  alkyl vinyl ethers.

20. (deleted)

21.(original) The composition according to claim 18 wherein Monomer A is selected from  $C_{1-6}$  alkoxy  $C_{1-6}$  alkyl vinyl ethers.

22.(deleted)

23.(original) The composition according to claim 18 wherein Monomer B is maleic acid or derivative thereof.

24.(original) The composition according to claim 23 wherein the copolymer is vinyl methyl ether/maleic acid alkyl half ester wherein alkyl is  $C_{1-6}$  alkyl.

25.(currently amended) The composition according to <u>claim 1</u> any one of claims 1 to 24 wherein the (a) organic acid is present in an amount of from about 0.01 to about 10%wt.

26.(cancelled)

27.(currently amended) The composition according to <u>claim 1</u> any one of claims 1 to 24 wherein (c) polymer is present in an amount of from about 0.01 to about 10%wt.

28.(cancelled)

29.(currently amended) The composition according to <u>claim 1</u> any one of claims 1 to 28 wherein (b) at least one anionic surfactant is present.

30.(cancelled)

31.(currently amended) The composition according to <u>claim 29</u> any one of claims 1 to 30 wherein the anionic surfactant is selected from alcohol sulfates and sulfonates, alkyl sulfates, alkyl sulfonates, and alkylaryl sulfonates.

32.(currently amended) The composition according to <u>claim 29</u> any one of claims 1 to 31 wherein (b) anionic surfactant is present in an amount of from about 0.01 to about 10%wt.

33.(cancelled)

34.(currently amended) The composition according to <u>claim 1</u> any one of claims 1 to 24 and 29 to 31 wherein the ratio of (a):(b):(c) ranges from about 1:1:1 to about 6:2:1.

35.(cancelled)

36.(cancelled)

37.(currently amended) The composition according to <u>claim 1</u> any one of claims 1 to 28 wherein (b) at least one anionic surfactant is not present.

38.(currently amended) The composition according to <u>claim 1</u> any one of claims 1 to 37 wherein at least one organic solvent is present.

39.(currently amended) A composition according to claim 1 comprising

(a) at least one organic acid selected from a compound having the formula:

#### R--COOH

wherein R is hydrogen, lower alkyl; substituted lower alkyl; hydroxy lower alkyl; carboxy lower alkyl; carboxy, hydroxy lower alkyl; carboxy, halo lower alkyl; carboxy, dihydroxy lower alkyl; dicarboxy, hydroxy lower alkyl; carboxy lower alkenyl; dicarboxy lower alkenyl; substituted phenyl and mixtures thereof, wherein substituted lower alkyl is substituted by one or more groups consisting of halogen, hydroxyl, amino, thiol, nitro, and cyano;

(b) optionally, at least one anionic surfactant selected from alcohol sulfates and sulfonates, alcohol phosphates and phosphonates, alkyl ester sulfates, alkyl diphenyl ether sulfonates, alkyl sulfates, alkyl ether sulfates, sulfate esters of an alkylphenoxy polyoxyethylene ethanol, alkyl monoglyceride sulfates, alkyl sulfonates, alkyl ether sulfates, alpha-olefin sulfonates, beta-alkoxy alkane sulfonates, alkyl ether sulfonates, ethoxylated alkyl sulfonates, alkylaryl sulfonates, alkylaryl sulfates, alkyl monoglyceride sulfonates, alkyl carboxylates, alkyl ether carboxylates, alkyl alkoxy carboxylates having 1 to 5 moles of

ethylene oxide, alkylpolyglycolethersulfates (containing up to 10 moles of ethylene oxide), sulfosuccinates, octoxynol or nonoxynol phosphates, taurates, fatty taurides, fatty acid amide polyoxyethylene sulfates, acyl glycerol sulfonates, fatty oleyl glycerol sulfates, alkyl phenol ethylene oxide ether sulfates, paraffin sulfonates, alkyl phosphates, isethionates, N-acyl taurates, alkyl succinamates and sulfosuccinates, alkylpolysaccharide sulfates, alkylpolyglucoside sulfates, alkyl polyethoxy carboxylates, and sarcosinates or mixtures thereof;

- (c) at least one polymer capable of forming a complex with (a) at least one of organic acid selected from the group
- (1) polymer having the formula

in which n represents from 20 to 99 and preferably from 40 to 90 mol %, m represents from 1 to 80 and preferably from 5 to 40 mol %; p represents 0 to 50 mol, (n+m+p=100);  $R_1$  represents H or  $CH_3$ ; y represents 0 or 1; Z is selected from O or NH;  $R_2$  represents  $C_xH_{2x}$  where x is 2 to 18; each of  $R_3$  independently represents hydrogen or  $C_1$  to  $C_4$  alkyl; and M is a vinyl or vinylidene monomer copolymerisable with vinyl pyrrolidone other than the monomer identified in  $[\ ]_m$ ,

- (2) vinylpyrrolidone/vinyl acetate copolymer,
- (3) vinylpyrrolidone/vinyl caprolactam/ammonium derivative terpolymer, where the ammonium derivative monomer has 6 to 12 carbon atoms and is selected from dialkylamino alkyl methacrylamides, dialkylamino alkyl methacrylate, and dialkylamino alkyl acrylate,
- (4) poly (vinyl pyrrolidone),

- (5) vinyl pyrrolidone/vinyl caprolactam copolymer,
- (6) vinyl pyrrolidone/acrylic acid (and its esters) or methacrylic acid (and its esters) copolymer; and
- (7) a copolymer of Monomer A and Monomer B wherein Monomer A is of the formula  $R^1$ —CH=CH— $R^2$  and wherein Monomer B is of the formula  $R^3$ — $C(R^1)$ = $C(R^2)$ — $R^4$ ,

wherein  $R^1$  and  $R^2$  are independently selected from hydrogen; hydroxy; halogen; carboxy; sulfo; phenyl; phenoxy;  $C_{1-6}$  alkyl,  $C_{1-6}$  alkoxy,  $C_{1-6}$  aminoalkyl,  $C_{1-6}$  haloalkyl wherein the halogen is selected from chlorine, bromine, iodine, and fluorine;  $C_{1-6}$  alkylphenyl; amino and  $C_{1-6}$  alkylamino,  $R^3$  is an acidic group or a derivative thereof and  $R^4$  is a group selected from any of the definitions given hereinbefore for  $R^1$ ,  $R^2$  or  $R^3$ , with the proviso that neither monomer A nor monomer B is an ester having a quaternary ammonium compound;

- (d) optionally, at least one organic solvent;
- (e) optionally, at least one propellant;
- (f) water; and

optionally, one or more further conventional constituents such as: pH buffering agents, perfumes, perfume carriers, colorants, hydrotropes, viscosity modifying agents, further germicides, fungicides, anti-oxidants, and anti-corrosion agents.


```
40.(cancelled)
```

- 41. (cancelled)
- 42. (cancelled)
- 43. (cancelled)
- 44. (cancelled)


45. (cancelled)	
46. (cancelled)	
47. (cancelled)	
48. (cancelled)	
49. (cancelled)	
50. (cancelled)	
51. (cancelled)	•
52. (cancelled)	
53. (cancelled)	
54. (cancelled)	·
55. (cancelled)	
56. (cancelled)	
57. (cancelled)	
58. (cancelled)	
59. (cancelled)	


60. (cancelled)	
61. (cancelled)	
62. (cancelled)	
63. (cancelled)	
64. (cancelled)	
65. (cancelled)	
66. (cancelled)	
67. (cancelled)	
68. (cancelled)	
69. (cancelled)	
70. (cancelled)	
71. (cancelled)	
72. (cancelled)	
73. (cancelled)	
74. (cancelled)	


## US Serial No. 35 USC 371 of PCT/GB03/03549 Page 12 of 19




# US Serial No. 35 USC 371 of PCT/GB03/03549 Page 13 of 19








## US Serial No. 35 USC 371 of PCT/GB03/03549 Page 16 of 19





162.(currently amended) A dishwashing product or a rinse aid product for dishwashing comprising a The composition according to claim 1 any one of claims 1 to 157 which is used in dishwashing products, including rinse aids.

163.(currently amended) The composition according to <u>claim 1</u> any one of claims 1 to 157 wherein the composition is incorporated into a wipe.

164.(currently amended) The composition according to <u>claim 1</u> any one of claims 1 to 157 wherein the composition is incorporated into a hard surface disinfectant <u>or hard surface and/or cleaning product.</u>

165.(currently amended) A process for treating a surface which comprises the step of providing the composition according to <u>claim 1</u> any of claims 1 to 157, and applying an effective amount of the composition to the surface requiring such treatment.

166.(currently amended) The process <u>according to of-claim 165</u> wherein the surface is a hard surface, a fabric, or skin.